

FH-CeilingMountTrack




FH-CeilingMountTrack

CS FH-CeilingMountTrack Systems are a series of full-height, ceiling-mounted tracks designed to seamlessly integrate with your ceiling lining, creating a flawless, flush-mounted finish.


The CS FH-CeilingMountTrack is available in Single, Double, and Triple Tracks for both 1-3/8" (35mm) and 1-3/4" (45mm) thick doors.

Product Specifications


Single Track




Double Track - 1-3/8"




Double Track - 1-3/4"



Triple Track - 1-3/8"



Triple Track - 1-3/4"



How to Specify

1. Choose track configuration: single, double or triple
2. Specify door thickness: 1-3/8" and 1-3/4" doors
3. Specify track length
Available in 6, 8, 12, and 24' pre-cut lengths
4. Determine Application
Multiple tracks can be used for bypass and collection (telescoping) applications
5. Choose a carriage pack (one per door)
(Includes carriages, mounting plates, T-Guide, fixing screws, adjusting wrench and installation instructions)
 - a. M6 (200 lb)
 - b. M8 (500lb)
 - c. SofStop
 - d. SofStop HD
 - e. CS Door Collection System (For multiple tracks)
(includes M6 or M8 carriage pack plus door collection system for 2 door or 3 door setup)
6. Fascia and End Caps (Optional): Specify finish

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com

(888) 466-0030

Features

- Suitable for large room dividers or surface sliding applications.*
- Track can be configured to suit Bi-Parting door set-ups, including CornerMeeting detail.
- 304 stainless steel components available for corrosive environments.

Technical Information

Track	Single	Double	Triple
Track Finish	Mill-finish	Mill-finish	Mill-finish
Door Thickness	1-3/8" or 1-3/4" (35 or 45mm)	1-3/8" or 1-3/4" (35 or 45mm)	1-3/8" or 1-3/4" (35 or 45mm)
Max Door Weight	500lb (240kg)	500lb (240kg)	500lb (240kg)
Carriage Pack	M6 or M8	M6 or M8	M6 or M8

SofStop® Features & Options

- High quality mechanism independently tested to 100,000 cycles
- Soft close mechanism is hidden from sight, yet remains fully serviceable


Standard	M6 (200lb/90kg)		
	M8 (500lb/240kg)		
CS SofStop	Minimum Door Width		
	No Stop	1 Stop	2 Stops
0 - 200 lb (90kg)	23" (584mm)	26" (660mm)	28" (711mm)
CS SofStop HD	Minimum Door Width		
	No Stop	1 Stop	2 Stops
0 - 350 lb (160kg)	26" (660mm)	29" (737mm)	31" (787mm)



FH-CeilingMountTrack Product Codes

Tracks

Tracks are available in popular pre-cut lengths or can be cut to custom lengths between 6 and 24ft (to the nearest foot). A per foot rate applies to custom lengths, which includes cutting fee.

Item	Description	Length	Code
	CS FH-Ceiling Mount Track - Single	6ft	TSFH1-6
		8ft	TSFH1-8
		12ft	TSFH1-12
		24ft	TSFH1-24
		Custom	TSFH1-NSS
	CS FH-Ceiling Mount Track - Double 1-3/8" door thickness	6ft	TSFH2-138-6
		8ft	TSFH2-138-8
		12ft	TSFH2-138-12
		24ft	TSFH2-138-24
		Custom	TSFH2-138-NSS
	CS FH-Ceiling Mount Track - Double 1-3/4" door thickness	6ft	TSFH2-134-6
		8ft	TSFH2-134-8
		12ft	TSFH2-134-12
		24ft	TSFH2-134-24
		Custom	TSFH2-134-NSS
	CS FH-Ceiling Mount Track - Triple 1-3/8" door thickness	6ft	TSFH3-138-6
		8ft	TSFH3-138-8
		12ft	TSFH3-138-12
		24ft	TSFH3-138-24
		Custom	TSFH3-138-NSS
	CS FH-Ceiling Mount Track - Triple 1-3/4" door thickness	6ft	TSFH3-134-6
		8ft	TSFH3-134-8
		12ft	TSFH3-134-12
		24ft	TSFH3-134-24
		Custom	TSFH3-134-NSS

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com

(888) 466-0030



Specs and Instructions



FH-CeilingMountTrack Product Codes

Carriage Packs

Item	Description	Code
	M6 (200lb) with no track stops	DKM0601
	M6 (200lb) with 1 track stop	DKM0611
	M6 (200lb) with 2 track stops	DKM0621
	M8 (500lb) with no track stops	DKM0801
	M8 (500lb) with 1 track stop	DKM0811
	M8 (500lb) with 2 track stops	DKM0821

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com

(888) 466-0030



Specs and Instructions

