Cavity Sliders™

CL400® Magnetic Key Locking

CL400® Magnetic Key Locking

The CL400 Key Locking option is suitable for residential or light commercial use in internal situations where medium security is required.

It incorporates a single or double Euro Profile cylinder with Schlage C Keyway. All Key Locking handles come with a raised shroud as standard for increased security.*

Features

- Security
- Door slides flush back into the pocket.
- Patented Magnetic Technology.
- Positive Grip For Heavy Doors.
- Suitable for pocket or barn door style sliding doors.

Product Specifications





Finish Options


Bright Chrome

Satin Chrome

Oil Rubbed Bronze

Satin Nickel

Matte Black

Technical Information

Door Thickness	1-3/8" to 1-3/4" (34-46mm)
Suitable Door Types	Wood, Aluminum, Steel
Options	Key/Snib, Key/Key

* Not suitable as a secure exterior lock.

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com (888) 466-0030

NEW ZEALAND MADE

Technical Detail

Door Cutout

The CL400® requires a simple door cutout. Complete instructions and templates are supplied with every handle.



Face Plate

Two different face plate widths are available, to suit doors 1-3/8" and 1-3/4" thick.



Suits doors
34 - 40mm
1-3/8" to 1-9/16"

Suits doors
40 - 46mm
1-5/8" to 1-3/4"

Striker

Depending on the configuration of the handle, the striker supplied is designed to either sit flush with the face of the closing jamb or recessed into the closing jamb. Striker cutout template and instructions are supplied with your handle and cover installation into a flush or recessed closing jamb.

Flush Striker - Passage and Privacy Handles



Recessed Striker - Key Locking Handles



* Not suitable as a secure exterior lock.

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com (888) 466-0030

NEW ZEALAND MADE

CL400® Magnetic Key Locking Product Codes

Function		Finish	Door Thickness	
			1-3/8”	1-3/4”
LH Snib/Key RH		Bright Chrome	CL400C0027	CL400C0037
		Satin Chrome	CL400C0127	CL400C0137
		ORB	CL400C0227	CL400C0237
		Satin Nickel	CL400C0327	CL400C0337
		Matte Black	CL400C0427	CL400C0437
LH Key/Snib RH		Bright Chrome	CL400C0028	CL400C0038
		Satin Chrome	CL400C0128	CL400C0138
		ORB	CL400C0228	CL400C0238
		Satin Nickel	CL400C0328	CL400C0338
		Matte Black	CL400C0428	CL400C0438
Key/Key		Bright Chrome	CL400C0029	CL400C0039
		Satin Chrome	CL400C0129	CL400C0139
		ORB	CL400C0229	CL400C0239
		Satin Nickel	CL400C0329	CL400C0339
		Matte Black	CL400C0429	CL400C0439

* Not suitable as a secure exterior lock.

© All copyright and other property in this document is reserved by Cavity Sliders USA Inc. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. 12/2024

CavitySliders.com

sales@cavitysliders.com (888) 466-0030

NEW ZEALAND MADE ®

Specs and Instructions